EASY PROTECT SERIES


Mamparas de protección modulares / Modular protection screens

DESTACADOS

- Alta calidad
- Diseño reforzado
- Modulares y combinables
- Opción de fijación
- Personalizables

HIGHLIGHTS

- High quality
- Reinforced design
- Modular and mutually compatible
- Fixing option
- Customizable




non-contractual image

VISIÓN GENERAL / OVERVIEW

Mamparas de protección robustas para instalación fija y semi-fija, fabricadas en PMMA con grosores de 5 y 10 mm y diseñadas aplicando técnicas de ingeniería, de tipo modular, utilizables individualmente y combinables entre si para crear estructuras de separación y protección complejas. Gama estándar de partida y posibilidad de fabricación a medida bajo oferta previa.

Robust protection screens for fixed and semi-fixed installation, made of PMMA with 5 and 10 mm thicknesses and designed applying engineering techniques, modular type, individually usable and mutually compatible with each other to create complex separation and protection structures. Standard starting range and possibility of custom manufacturing under previous offer.

DIMENSIONES / DIMENSIONS




Todas las dimensiones en cm. / All dimensions in cm.

110620 Rev.:0

Reserves the right to change limits, test conditions and dimensions given in this data sheet at any time without previous notice.

GAMA ESTANDAR / STANDARD RANGE


Referéncia / Reference		**Anchura A Widht A**	**Altura H Heigh H**	**Ventana / Window (Av x Hv)**	**Peso aprox. (Kg.) Aprox. Weight (Kg.) EasyProtect.../...V**
Sin ventana / Without window	Con ventana / With window				
EasyProtect-040x035	EasyProtect-040x035V	40	35	15x10	1,27/1,19
EasyProtect-040x055	EasyProtect-040x055V		55		1,74/1,65
EasyProtect-040x075	EasyProtect-040x075V		75		2,21/2,12
EasyProtect-060x035	EasyProtect-060x035V	60	35	25x12	1,68/1,51
EasyProtect-060x055	EasyProtect-060x055V		55		2,39/2,21
EasyProtect-060x075	EasyProtect-060x075V		75		3,10/2,92
EasyProtect-080x035	EasyProtect-080x035V	80	35		2,10/1,92
EasyProtect-080x055	EasyProtect-080x055V		55		3,04/2,86
EasyProtect-080x075	EasyProtect-080x075V		75		3,98/3,81
EasyProtect-100x035	EasyProtect-100x035V	100	35		2,51/2,33
EasyProtect-100x055	EasyProtect-100x055V		55		3,69/3,51
EasyProtect-100x075	EasyProtect-100x075V		75		4,87/4,69




Reserves the right to change limits, test conditions and dimensions given in this data sheet at any time without previous notice.

KITS DE UNIÓN / JOINT KITS


Referencia / Reference	Tipo de combinacion / Type of combination
EasyProtect-U00	Unión recta / Straight joint
EasyProtect-U30	Unión a 30º / Joint at 30º
EasyProtect-U45	Unión a 45º / Joint at 45º
EasyProtect-U60	Unión a 60º / Joint at 30º
EasyProtect-U90	Unión a 90º / Joint at 90º
EasyProtect-UT	Unión triple en T / Triple T joint
EasyProtect-UY	Unión triple Y a 120º / Triple Y joint at 120º
EasyProtect-UX	Unión cuadruple a 90º / Quadruple joint at 90º




EasyProtect-U00




EasyProtect-U30




EasyProtect-U45




EasyProtect-U60




EasyProtect-U90



EasyProtect-UT



EasyProtect-UY



EasyProtect-UX


Todos los kits se componen de 4 unidades (para mamparas hasta 75 cm de altura)
All kits are made up of 4 units (for screens up to 75 cm high)


Reserves the right to change limits, test conditions and dimensions given in this data sheet at any time without previous notice.


KIT DE FIJACIÓN / FIXING KIT

Referencia / Reference	Tipo de fjación / Fixing type
EasyProtect-FIX10W	Para madera / For wood
EasyProtect-FIX10M	Para metal (M4)* / For metal (M4)*

* Es necesario el mecanizado previo de taladros M4x15 / Pre-machining of M4x15 holes is required








EasyProtect-FIX10W

EasyProtect-FIX10M

Todos los kits se componen de 4 unidades
All kits are made up of 4 units

CONFIGURACION EJEMPLO / CONFIGURATION EXAMPLE



Reserves the right to change limits, test conditions and dimensions given in this data sheet at any time without previous notice.

ANOTACIONES EN LA HOJA DE ESPECIFICACIONES:

RECTIFICADORES GUASCH, S.A.U. utiliza la siguiente anotación para identificar el estado del producto, en el lado izquierdo de la primera página:

Preliminary Technical Information: El producto se encuentra en proceso de diseño y desarrollo. La información presenta los datos del producto pero algunas características pueden cambiar.
Advance technical information: El producto se encuentra totalmente diseñado y las características se refieren a la fabricación en serie.
Sin anotación: Los parámetros del producto están fijados y se suministra de acuerdo con las especificaciones publicadas.

Los datos indicados en esta publicación corresponden a especificaciones de producto, queda exlcuida cualquier garantía expresa o implícita sobre sus propiedades o su aplicación, así como cualquier responsabilidad sobre daños directos o indirectos producidos por los materiales o resultantes de su aplicación. La empresa se reserva el derecho de realizar cambios en las especificaciones de los productos sin previo aviso. La información respecto a métodos de uso y aplicaciones se indica sólo como guía y no constituye garantía alguna de funcionamiento satisfactorio en un determinado equipo o aplicación. Es responsabilidad del usuario determinar la idoneidad del producto para su aplicación utilizando la información disponible y asegurarse de que la misma esta actualizada.
Cualquier nombre de producto o marca usada en esta publicación corresponde a marcas depositadas, marcas registradas o nombres protegidos por sus respectivos propietarios.

DATASHEET ANNOTATIONS:

RECTIFICADORES GUASCH, S.A.U. annotate datasheets in the left corner of the front page, to indicate product status:

Preliminary Technical Information: The product is in design and development. The datasheet represents the product as it is understood but details may change.
Advance Technical Information: The product design is complete and final characterisation for volume production is well in hand.
No Annotation: The product parameters are fixed and the product is available to datasheet specification.

The technical data are to specify components, not to guarantee their properties.No warranty or guarantee expressed or implied is made regarding delivery or performance. The Company reserves the right to alter without prior notice the specification of any product. Information concerning possible methods of use is provided as a guide only and does not constitute any guarantee that such methods of use will be satisfactory in a specific piece of equipment. It is the user's responsibility to fully determine the performance and suitability of any equipment using such information and to ensure that any publication or data used is up to date.
All brand names and product names used in this publication are trademarks, registered trademarks or trade names of their respective owners.

© RECTIFICADORES GUASCH, S.A.
DOCUMENTACION TECNICA, TECHNICAL DOCUMENTATION
PRODUCIDO EN ESPAÑA, PRODUCED IN SPAIN
PROHIBIDA SU VENTA, NOT FOR SALE

Your Needs, Our Solutions